

Snow chains passenger cars

Product overview

Content

pewag snow chains passenger cars + matrix	11
pewag servomatik	12
pewag snox pro	13
pewag servo sport	14
pewag servo 9	15
pewag brenta 9	16
pewag gloves & rim protection clips	17
Reference list passenger cars	18-23



Individual. Safe. pewag.

Whether for work or for pleasure – stay safe on the road with pewag snow chains.

Fast, comfortable assembly and outstanding reliability in all situations are the main requirements for passenger car traction chains. Our large selection of chain types ranges from automatic tensioning all the way to manual systems and is being developed continually.

Matrix snow chains for passenger cars



	pewag servomatik RSM ..	pewag snox pro SXP ..	pewag servo sport RSS ..	pewag servo 9 RS9 ..	pewag brenta 9 XMB ..
snox-box regulates the chain tension fully automatically		✓			
Patented servo technology automatically regulates the chain tension	✓		✓	✓	
Reversibility – double life span		✓	✓	✓	✓
Square links with starwave® profile	✓	✓	✓	✓	✓
Rim protection clips	✓	✓	✓	✓	
Recommended by pewag for:					
City driving	■■■■■	■■■■■	■■■■■	■■■■■	■■■■■
Driving on slopes	■■■■□	■■■■□	■■■■□	■■■■□	■■■■□
Tight wheelhouses	■■■■□	■■■■□	■■■■□	■■■■□	■■■■□
Easy assembly and disassembly	■■■■■	■■■■□	■■■■□	■■■■□	■■■■□
Chain mesh diameter (mm)	3.1	3.2	3.1	3.1	3.1

The recommendations listed in the table above are based on our experiences with various vehicle propulsion and suspension versions. However, you should check the vehicle manufacturer's recommendations in the instruction manual regarding the use of snow chains.

pewag servomatik



Safe assembly without fastening hooks. Automatic re-tensioning.

THE innovative hoop chain, ideal for vehicles with rear-wheel drive and tight wheelhouse. Fast and safe to assemble: self-tensioning system with display window indicates when the chain has been fully assembled.

Usage

- Particularly recommended for vehicles with rear-wheel drive and wheelhouse with low clearance
- Also suitable for front-wheel drive
- Ideal for city driving

Product Information

- Very convenient mounting system
- Self-explanatory assembly with display window to ensure that the chain has been mounted safely
- No fastening elements, no hooks
- 9 mm hoop chain for vehicles with minimal clearance in the wheelhouse
- Innovative starwave® profile for perfect traction
- Rim protection

Technical Details


- ÖNORM (Austrian Standard)
- The parts essential for assembly are marked in red
- Self-tensioning system thanks to patented pewag servo ratchet technology

PO no.	Part no.
RSM 64	50008
RSM 67	50118
RSM 68	50131
RSM 69	50193
RSM 73	50194
RSM 74	50381
RSM 75	50560
RSM 76	50562
RSM 77	50563
RSM 78	50572
RSM 79	50592



Mounting instruction

pewag **snox** PRO



s(nox)olution! Naturally from pewag. pewag snox is the only snow chain that is not mounted, but snoxed!

s(nox)olution! is the new chain's slogan and brings it to the point: pewag snox makes the mounting of your snow chain easy and comfortable.

Usage

- Recommended for vehicles with front-wheel drive
- Ideal for city driving / paved roads

Product Information

- Easy to use because no lock parts are necessary
- The chain tensions itself automatically – retensioning is not necessary
- For demounting simply pull off the chain
- Innovative starwave® Profile for increased traction
- Rim protection

Technical Details

- ÖNORM (Austrian Standard), TÜV-certified (German Association for Technical Inspection)
- Chain mesh made of square links of 3.2 mm material thickness
- The pewag snox-box regulates the chain tension fully automatically – manual tensioning is no longer necessary
- Closed system – therefore no rings, no hooks
- Quick-release system for easy demounting

PO no.	Part no.
SXP 500	05125
SXP 505	05127
SXP 510	88986
SXP 520	88987
SXP 530	88988
SXP 540	88972
SXP 550	88989
SXP 560	88990
SXP 570	05128




Mounting instruction



Mobile website

pewag servo sport



Only 7 mm of space. Sporty. Innovative.

The smallest amount of space used optimally.

Usage

- Recommended for vehicles with front-wheel drive
- Ideal for city driving / paved roads

Product Information

- 7 mm: for vehicles with the smallest amount of space inside
- pewag servo ratchet tensions the chain automatically – manual tensioning is not necessary
- Easy demounting thanks to self-opening inside lock
- Innovative starwave® profile for increased traction
- Rim protection

Technical Details

- ÖNORM (Austrian Standard), TÜV-certified (German Association for Technical Inspection)
- Twisted chain on the inside allows use with minimum space (7 mm)
- Good results in traction, safety and automatic tension
- Patented servo technology automatically adjusts the chain tension

pewag servo sport is the ideal snow chain for sporty vehicles with the smallest amount of space inside such as: Abarth 500, Abarth Punto, Alfa Romeo 4C, Citroen C3 Picasso, Citroen C4 (Grand) Picasso, Fiat Bravo, Fiat Panda, Lancia Delta, Peugeot 1007, Peugeot 207, Peugeot 308, Renault Koleos, Renault Laguna, Renault Latitude, Renault Scenic, Seat Exeo, Seat Ibiza, VW Golf, VW Jetta.




PO no.	Part no.
RSS 60	29511
RSS 62	29634
RSS 64	29761
RSS 67	29795
RSS 68	29995
RSS 69	30012
RSS 73	30015
RSS 74	30137
RSS 75	30290
RSS 76	30321
RSS 77	30361
RSS 79	30686
RSS 80	31098



Mounting instruction

pewag servo 9



Sporty. Thrilling. Fast. High quality chain for low clearance (9 mm).

Specifically developed for vehicles with low clearance, the innovative and patented pewag servo 9 offers the comfort of stationary mounting and high reliability under all conditions: a snow chain, that will especially satisfy frequent drivers.

Usage

- Recommended for vehicles with front-wheel drive
- Ideal for city driving / paved roads

Product Information

- 9 mm: for vehicles with the small amount of space inside
- pewag servo ratchet tensions the chain automatically - manual tensioning is not necessary
- Easy demounting thanks to self-opening inside lock
- Innovative starwave® profile for increased traction
- Rim protection

Technical Details


- ÖNORM (Austrian Standard), TÜV-certified (German Association for Technical Inspection)
- D-shaped links in 3.1 mm thickness
- Patented servo technology automatically regulates the chain tension

PO no.	Part no.
RS9 60	94788
RS9 62	94789
RS9 64	94790
RS9 67	94791
RS9 68	94792
RS9 69	94793
RS9 73	94794
RS9 74	94795
RS9 75	94796
RS9 76	94797
RS9 77	94798
RS9 79	02944
RS9 80	94799



Mounting instruction

pewag brenta 9



Proven technology. Reliable in use.

The 9 mm chain for vehicles with tight wheel wells.

Usage

- Recommended for vehicles with front-wheel drive
- Ideal for city driving / paved roads

Product Information

- 9 mm: for vehicles with the small amount of space inside
- Inside lock is fast and easy to use
- Manual chain tensioning – chain is retensioned manually
- Innovative starwave® profile for increased traction

Technical Details

- ÖNORM (Austrian Standard), TÜV-certified (German Association for Technical Inspection)
- D-shaped links of 3.1 mm thickness
- Flat inside lock for tight wheel wells



PO no.	Part no.
XMB 58	56929
XMB 59	58564
XMB 60	58565
XMB 62	58566
XMB 64	58571
XMB 67	58572
XMB 68	58573
XMB 69	58574
XMB 73	58575
XMB 74	58576
XMB 75	58577
XMB 76	12138
XMB 77	12139
XMB 79	55651



Mounting instruction

pewag gloves

Better grip for mounting snow chains.
pewag provides additional help for winter conditions.

You want to mount your snow chains only with a few moves, clean clothes and dry hands? pewag gloves especially designed for the requirements of mounting snow chains are the solution.

Product description

The gloves are made according to pewag's special design requirements with a long shaft. The material – a mix of spandex, fleece and synthetic leather and PVC – provides high comfort, keeps hands and clothes dry and clean, and provides excellent grip for mounting snow chains. pewag gloves are available in 4 sizes, can be fastened with a Velcro strip and can be washed in cool water.



PO no.	Part no.
Gloves S	43916
Gloves M	43914
Gloves L	43913
Gloves XL	43919

pewag rim protection clips

The new rim protection clips, applicable to your chain.
Easily mounted, perfect protection.


pewag developed special clips to protect your rims from damage.

These clips are a standard feature on the following chain types:

- pewag servomatik
- pewag snox pro
- pewag servo 9
- pewag servo sport
- pewag servo suv

Retrofittable for:

- pewag brenta 9



PO no.	Part no.
Rim protection red clip packing unit 8 pcs	95265
Rim protection blue clip packing unit 8 pcs	66632

Reference list passenger cars



Tire	Rim	pewag servomatik RSM ..		pewag snox pro SXP ..		pewag servo sport RSS ..		pewag servo 9 RS9 ..		pewag brenta 9 XMB ..	
		Po no.	Part no.	Po no.	Part no.	Po no.	Part no.	Po no.	Part no.	Po no.	Part no.
145/80-	12"	-	-	-	-	-	-	-	-	XMB 58	56929
155/70-		-	-	-	-	-	-	-	-	XMB 58	56929
155/80-		-	-	-	-	-	-	-	-	XMB 59	58564
165/70-		-	-	-	-	-	-	-	-	XMB 59	58564
175/70-		-	-	SXP 500	05125	RSS 60	29511	RS9 60	94788	XMB 60	58565
135/80-	13"	-	-	-	-	-	-	-	-	XMB 58	56929
145/65-		-	-	-	-	-	-	-	-	XMB 58	56929
145/70-		-	-	-	-	-	-	-	-	XMB 58	56929
145/80-		-	-	-	-	-	-	-	-	XMB 59	58564
155/60-		-	-	-	-	-	-	-	-	XMB 58	56929
155/65-		-	-	-	-	-	-	-	-	XMB 58	56929
155/70-		-	-	-	-	-	-	-	-	XMB 59	58564
155/80-		-	-	SXP 500	05125	RSS 60	29511	RS9 60	94788	XMB 60	58565
160/65-		-	-	-	-	-	-	-	-	XMB 59	58564
165/55-		-	-	-	-	-	-	-	-	XMB 58	56929
165/60-		-	-	-	-	-	-	-	-	XMB 58	56929
165/65-		-	-	-	-	-	-	-	-	XMB 59	58564
165/70-		-	-	SXP 500	05125	RSS 60	29511	RS9 60	94788	XMB 60	58565
165/80-		-	-	SXP 505	05127	RSS 62	29634	RS9 62	94789	XMB 62	58566
175/50-		-	-	-	-	-	-	-	-	XMB 58	56929
175/55-		-	-	-	-	-	-	-	-	XMB 59	58564
175/60-		-	-	-	-	-	-	-	-	XMB 59	58564
175/65-		-	-	SXP 500	05125	RSS 60	29511	RS9 60	94788	XMB 60	58565
175/70-		-	-	SXP 505	05127	RSS 60	29511	-	-	XMB 62	58566
175/80-		RSM 64	50008	SXP 520	88987	RSS 64	29761	RS9 64	94790	XMB 64	58571
185/55-		-	-	SXP 500	05125	RSS 60	29511	RS9 60	94788	XMB 59	58564
185/60-		-	-	SXP 500	05125	RSS 60	29511	RS9 60	94788	XMB 60	58565
185/65-		-	-	SXP 505	05127	RSS 62	29634	RS9 62	94789	XMB 62	58566
185/70-		RSM 64	50008	SXP 510	88986	RSS 64	29761	RS9 64	94790	XMB 64	58571
185/75-		-	-	SXP 520	88987	-	-	-	-	XMB 64	58571
185/80-		RSM 67	50118	SXP 530	88988	RSS 67	29795	RS9 67	94791	XMB 67	58572
195/50-		-	-	SXP 500	05125	RSS 60	29511	RS9 60	94788	XMB 60	58565
195/55-		-	-	SXP 505	05127	RSS 60	29511	RS9 60	94788	XMB 60	58565
195/60-		-	-	SXP 510	88986	RSS 62	29634	RS9 62	94789	XMB 62	58566
195/65-		RSM 64	50008	SXP 520	88987	RSS 64	29761	RS9 64	94790	XMB 64	58571
195/70-		RSM 67	50118	SXP 530	88988	RSS 67	29795	RS9 67	94791	XMB 67	58572
195/75-		RSM 67	50118	SXP 530	88988	RSS 68	29995	RS9 68	94792	XMB 68	58573
205/60-		RSM 64	50008	SXP 510	88986	RSS 64	29761	RS9 64	94790	XMB 64	58571
205/65-		RSM 67	50118	SXP 530	88988	RSS 67	29795	RS9 67	94791	XMB 67	58572
205/70-		RSM 68	50131	SXP 530	88988	RSS 68	29995	RS9 68	94792	XMB 68	58573
135/80-	14"	-	-	-	-	-	-	-	-	XMB 59	58564
145/70-		-	-	-	-	-	-	-	-	XMB 59	58564
145/80-		-	-	SXP 500	05125	RSS 60	29511	RS9 60	94788	XMB 60	58565
155/60-		-	-	-	-	-	-	-	-	XMB 58	56929

Reference list passenger cars

Tire	Rim	pewag servomatik RSM ..		pewag snox pro SXP ..		pewag servo sport RSS ..		pewag servo 9 RS9 ..		pewag brenta 9 XMB ..	
		Po no.	Part no.	Po no.	Part no.	Po no.	Part no.	Po no.	Part no.	Po no.	Part no.
155/65-	14"	-	-	-	-	-	-	-	-	XMB 59	58564
155/70-		-	-	SXP 500	05125	RSS 60	29511	RS9 60	94788	XMB 60	58565
155/80-		-	-	SXP 505	05127	RSS 62	29634	RS9 62	94789	XMB 62	58566
165/55-		-	-	-	-	-	-	-	-	XMB 59	58564
165/60-		-	-	SXP 500	05125	-	-	-	-	XMB 60	58565
165/65-		-	-	SXP 500	05125	RSS 60	29511	RS9 60	94788	XMB 60	58565
165/70-		-	-	SXP 505	05127	RSS 62	29634	RS9 62	94789	XMB 62	58566
165/75-		-	-	SXP 510	88986	RSS 62	29634	RS9 62	94789	XMB 64	58571
165/80-		RSM 64	50008	SXP 520	88987	RSS 64	29761	RS9 64	94790	XMB 64	58571
175/50-		-	-	-	-	-	-	-	-	XMB 59	58564
175/55-		-	-	SXP 500	05125	-	-	-	-	XMB 60	58565
175/60-		-	-	SXP 505	05127	RSS 60	29511	RS9 60	94788	XMB 62	58566
175/65-		-	-	SXP 505	05127	RSS 62	29634	RS9 62	94789	XMB 62	58566
175/70-		RSM 64	50008	SXP 510	88986	RSS 64	29761	RS9 64	94790	XMB 64	58571
175/75-		RSM 64	50008	SXP 520	88987	RSS 64	29761	RS9 64	94790	XMB 67	58572
175/80-		RSM 67	50118	SXP 530	88988	RSS 67	29795	RS9 68	94792	XMB 67	58572
185/50-		-	-	SXP 500	05125	RSS 60	29511	RS9 60	94788	XMB 60	58565
185/55-		-	-	SXP 505	05127	RSS 60	29511	RS9 62	94789	XMB 62	58566
185/60-		-	-	SXP 510	88986	RSS 62	29634	RS9 62	94789	XMB 62	58566
185/65-		RSM 64	50008	SXP 510	88986	RSS 64	29761	RS9 64	94790	XMB 64	58571
185/70-		RSM 67	50118	SXP 530	88988	RSS 67	29795	RS9 67	94791	XMB 67	58572
185/75-		RSM 67	50118	SXP 530	88988	RSS 67	29795	RS9 68	94792	XMB 68	58573
185/80-		RSM 69	50193	SXP 540	88972	RSS 69	30012	RS9 69	94793	XMB 69	58574
195/55-		-	-	SXP 510	88986	RSS 62	29634	RS9 62	94789	XMB 64	58571
195/60-		RSM 64	50008	SXP 520	88987	RSS 64	29761	RS9 64	94790	XMB 64	58571
195/65-		RSM 67	50118	SXP 530	88988	RSS 67	29795	RS9 67	94791	XMB 67	58572
195/70-		RSM 68	50131	SXP 530	88988	RSS 68	29995	RS9 68	94792	XMB 68	58573
195/75-		RSM 69	50193	-	-	-	-	-	-	-	-
195/80-		RSM 74	50381	SXP 550	88989	RSS 74	30137	RS9 74	94795	XMB 73	58575
205/50-		-	-	SXP 510	88986	RSS 62	29634	RS9 62	94789	XMB 62	58566
205/55-		RSM 64	50008	SXP 520	88987	RSS 64	29761	RS9 64	94790	XMB 67	58572
205/60-		RSM 67	50118	SXP 530	88988	RSS 67	29795	RS9 67	94791	XMB 67	58572
205/65-		RSM 68	50131	SXP 530	88988	RSS 68	29995	RS9 68	94792	XMB 68	58573
205/70-		RSM 73	50194	SXP 540	88972	RSS 73	30015	RS9 73	94794	XMB 73	58575
205/75-		RSM 74	50381	-	-	-	-	-	-	-	-
205/80-		RSM 75	50560	SXP 560	88990	RSS 75	30290	RS9 75	94796	XMB 75	58577
215/60-		RSM 69	50193	SXP 530	88988	RSS 69	30012	RS9 69	94793	XMB 69	58574
215/65-		RSM 73	50194	SXP 540	88972	RSS 73	30015	RS9 73	94794	XMB 73	58575
215/70-		RSM 74	50381	-	-	RSS 74	30137	RS9 74	94795	XMB 74	58576
215/75-		RSM 75	50560	SXP 560	88990	RSS 75	30290	RS9 75	94796	-	-
215/80-		RSM 76	50562	SXP 560	88990	RSS 75	30290	RS9 76	94797	XMB 76	12138
225/55-		RSM 69	50193	-	-	RSS 69	30012	RS9 69	94793	XMB 69	58574
225/60-		RSM 73	50194	SXP 540	88972	RSS 73	30015	RS9 73	94794	XMB 73	58575
225/70-		RSM 75	50560	-	-	RSS 75	30290	RS9 75	94796	XMB 75	58577
225/75-		RSM 76	50562	-	-	RSS 76	30321	RS9 76	94797	XMB 76	12138
225/80-		RSM 77	50563	-	-	RSS 77	30361	RS9 77	94798	-	-
235/60-		RSM 74	50381	-	-	RSS 74	30137	RS9 74	94795	XMB 74	58576
235/70-		-	-	SXP 570	05128	-	-	-	-	XMB 77	12139
245/60-		RSM 75	50560	-	-	RSS 75	30290	RS9 75	94796	XMB 75	58577
255/60-		RSM 76	50562	SXP 570	05128	RSS 76	30321	RS9 76	94797	XMB 76	12138
265/60-		RSM 78	50572	-	-	RSS 77	30361	RS9 77	94798	XMB 77	12139

Reference list passenger cars

Tire	Rim	pewag servomatik RSM ..		pewag snox pro SXP ..		pewag servo sport RSS ..		pewag servo 9 RS9 ..		pewag brenta 9 XMB ..	
		Po no.	Part no.	Po no.	Part no.	Po no.	Part no.	Po no.	Part no.	Po no.	Part no.
7.00-	15"	-	-	-	-	-	-	RS9 77	94798	-	-
125/80-		-	-	-	-	-	-	-	-	XMB 59	58564
135/70-		-	-	-	-	-	-	-	-	XMB 59	58564
135/80-		-	-	SXP 500	05125	RSS 60	29511	RS9 60	94788	XMB 60	58565
145/65-		-	-	SXP 500	05125	-	-	-	-	XMB 60	58565
145/80-		-	-	SXP 505	05127	RSS 62	29634	RS9 62	94789	XMB 62	58566
155/60-		-	-	SXP 500	05125	RSS 60	29511	RS9 60	94788	XMB 60	58565
155/65-		-	-	SXP 500	05125	RSS 60	29511	RS9 60	94788	XMB 62	58566
155/70-		-	-	SXP 505	05127	RSS 62	29634	RS9 62	94789	XMB 62	58566
155/80-		RSM 64	50008	SXP 520	88987	RSS 64	29761	RS9 64	94790	XMB 64	58571
165/50-		-	-	-	-	-	-	-	-	XMB 59	58564
165/60-		-	-	SXP 505	05127	RSS 60	29511	RS9 60	94788	XMB 60	58565
165/65-		-	-	SXP 510	88986	RSS 62	29634	RS9 62	94789	XMB 62	58566
165/70-		RSM 64	50008	-	-	RSS 64	29761	RS9 64	94790	XMB 64	58571
165/80-		RSM 67	50118	SXP 530	88988	RSS 67	29795	RS9 67	94791	XMB 67	58572
175/55-		-	-	SXP 505	05127	RSS 60	29511	RS9 62	94789	XMB 62	58566
175/60-		-	-	SXP 510	88986	RSS 62	29634	RS9 62	94789	XMB 62	58566
175/65-		RSM 64	50008	SXP 520	88987	RSS 64	29761	RS9 64	94790	XMB 64	58571
175/70-		RSM 67	50118	SXP 520	88987	RSS 67	29795	RS9 67	94791	XMB 67	58572
175/80-		RSM 69	50193	SXP 540	88972	RSS 69	30012	RS9 69	94793	XMB 69	58574
185/50-		-	-	SXP 505	05127	RSS 60	29511	RS9 60	94788	XMB 62	58566
185/55-		RSM 64	50008	SXP 510	88986	RSS 64	29761	RS9 64	94790	XMB 64	58571
185/60-		RSM 64	50008	SXP 520	88987	RSS 64	29761	RS9 64	94790	XMB 64	58571
185/65-		RSM 67	50118	SXP 530	88988	RSS 67	29795	RS9 67	94791	XMB 67	58572
185/70-		RSM 68	50131	SXP 530	88988	RSS 68	29995	RS9 68	94792	XMB 68	58573
185/80-		RSM 73	50194	-	-	RSS 73	30015	RS9 73	94794	XMB 73	58575
195/45-		-	-	SXP 505	05127	RSS 60	29511	RS9 60	94788	XMB 62	58566
195/50-		RSM 64	50008	SXP 510	88986	RSS 64	29761	RS9 64	94790	XMB 64	58571
195/55-		RSM 64	50008	SXP 520	88987	RSS 64	29761	RS9 64	94790	XMB 67	58572
195/60-		RSM 67	50118	SXP 530	88988	RSS 67	29795	RS9 67	94791	XMB 67	58572
195/65-		RSM 69	50193	SXP 540	88972	RSS 69	30012	RS9 69	94793	XMB 69	58574
195/70-		RSM 73	50194	SXP 540	88972	RSS 73	30015	RS9 73	94794	XMB 73	58575
195/75-		RSM 74	50381	SXP 550	88989	RSS 74	30137	RS9 74	94795	XMB 74	58576
195/80-		RSM 75	50560	SXP 560	88990	RSS 75	30290	RS9 75	94796	-	-
205/50-		RSM 64	50008	SXP 520	88987	RSS 64	29761	RS9 64	94790	XMB 67	58572
205/55-		RSM 68	50131	SXP 530	88988	RSS 68	29995	RS9 68	94792	XMB 68	58573
205/60-		RSM 69	50193	SXP 540	88972	RSS 69	30012	RS9 69	94793	XMB 69	58574
205/65-		RSM 73	50194	SXP 540	88972	RSS 73	30015	RS9 73	94794	XMB 73	58575
205/70-		RSM 74	50381	SXP 550	88989	RSS 74	30137	RS9 74	94795	XMB 74	58576
205/75-		RSM 75	50560	SXP 560	88990	RSS 75	30290	RS9 75	94796	-	-
205/80-		RSM 76	50562	SXP 560	88990	RSS 75	30290	RS9 76	94797	XMB 76	12138
215/45-		-	-	SXP 520	88987	RSS 64	29761	RS9 64	94790	XMB 64	58571
215/50-		RSM 68	50131	SXP 530	88988	RSS 68	29995	RS9 68	94792	XMB 68	58573
215/60-		RSM 73	50194	SXP 540	88972	RSS 73	30015	RS9 73	94794	XMB 73	58575
215/65-		RSM 74	50381	SXP 550	88989	RSS 74	30137	RS9 74	94795	XMB 74	58576
215/70-		RSM 75	50560	SXP 560	88990	RSS 75	30290	RS9 75	94796	XMB 75	58577
215/75-		RSM 76	50562	SXP 570	05128	RSS 76	30321	RS9 76	94797	-	-
215/80-		RSM 77	50563	-	-	RSS 77	30361	RS9 77	94798	-	-
225/45-		-	-	SXP 530	88988	RSS 67	29795	RS9 67	94791	XMB 67	58572
225/50-		RSM 69	50193	-	-	RSS 69	30012	RS9 69	94793	XMB 69	58574
225/55-		RSM 73	50194	SXP 540	88972	RSS 73	30015	RS9 73	94794	XMB 73	58575

Reference list passenger cars

Tire	Rim	pewag servomatik RSM ..		pewag snox pro SXP ..		pewag servo sport RSS ..		pewag servo 9 RS9 ..		pewag brenta 9 XMB ..	
		Po no.	Part no.	Po no.	Part no.	Po no.	Part no.	Po no.	Part no.	Po no.	Part no.
225/60-	15"	RSM 74	50381	SXP 550	88989	RSS 74	30137	RS9 74	94795	XMB 74	58576
225/65-		RSM 75	50560	SXP 560	88990	RSS 75	30290	RS9 75	94796	XMB 75	58577
225/70-		RSM 76	50562	SXP 570	05128	RSS 76	30321	RS9 76	94797	-	-
225/75-		RSM 77	50563	-	-	RSS 77	30361	RS9 77	94798	-	-
225/80-		RSM 79	50592	-	-	RSS 79	30686	RS9 79	02944	XMB 79	55651
235/55-		RSM 74	50381	-	-	RSS 74	30137	RS9 74	94795	XMB 74	58576
235/60-		RSM 75	50560	SXP 560	88990	RSS 75	30290	RS9 75	94796	XMB 75	58577
235/70-		RSM 78	50572	-	-	-	-	-	-	-	-
235/75-		RSM 79	50592	-	-	RSS 79	30686	RS9 79	02944	XMB 79	55651
245/60-		RSM 76	50562	SXP 570	05128	RSS 76	30321	RS9 76	94797	XMB 77	12139
245/70-		RSM 79	50592	-	-	RSS 79	30686	RS9 79	02944	-	-
255/60-		RSM 78	50572	-	-	RSS 77	30361	RS9 77	94798	XMB 77	12139
265/50-		RSM 76	50562	SXP 570	05128	RSS 76	30321	RS9 76	94797	XMB 77	12139
275/50-		RSM 77	50563	-	-	RSS 77	30361	RS9 77	94798	XMB 77	12139
6.00-	16"	-	-	-	-	-	-	RS9 75	94796	-	-
6.50-		-	-	-	-	-	-	RS9 76	94797	-	-
175/60-		RSM 64	50008	-	-	RSS 64	29761	RS9 64	94790	XMB 64	58571
175/75-		RSM 69	50193	SXP 540	88972	RSS 69	30012	RS9 73	94794	-	-
175/80-		RSM 74	50381	-	-	-	-	-	-	-	-
185/50-		RSM 64	50008	SXP 520	88987	RSS 64	29761	RS9 64	94790	XMB 64	58571
185/55-		RSM 67	50118	SXP 520	88987	RSS 67	29795	RS9 67	94791	XMB 67	58572
185/60-		RSM 67	50118	SXP 530	88988	RSS 67	29795	RS9 67	94791	XMB 67	58572
185/65-		RSM 69	50193	SXP 530	88988	RSS 69	30012	RS9 69	94793	XMB 69	58574
185/75-		RSM 74	50381	SXP 550	88989	RSS 74	30137	RS9 74	94795	-	-
185/80-		RSM 75	50560	-	-	RSS 75	30290	RS9 75	94796	-	-
195/45-		RSM 64	50008	SXP 510	88986	RSS 64	29761	RS9 64	94790	XMB 64	58571
195/50-		RSM 67	50118	SXP 520	88987	RSS 67	29795	RS9 67	94791	XMB 67	58572
195/55-		RSM 68	50131	SXP 530	88988	RSS 68	29995	RS9 68	94792	XMB 68	58573
195/60-		RSM 69	50193	SXP 540	88972	RSS 69	30012	RS9 69	94793	XMB 69	58574
195/65-		RSM 73	50194	SXP 550	88989	RSS 73	30015	RS9 73	94794	XMB 73	58575
195/70-		RSM 75	50560	-	-	RSS 74	30137	RS9 75	94796	-	-
195/75-		RSM 75	50560	SXP 560	88990	RSS 75	30290	RS9 75	94796	-	-
195/80-		RSM 76	50562	SXP 560	88990	RSS 75	30290	RS9 76	94797	-	-
195/85-		RSM 77	50563	SXP 570	05128	RSS 77	30361	RS9 77	94798	-	-
205/45-		RSM 64	50008	SXP 520	88987	RSS 64	29761	RS9 64	94790	XMB 67	58572
205/50-		RSM 68	50131	SXP 530	88988	RSS 68	29995	RS9 68	94792	XMB 68	58573
205/55-		RSM 73	50194	SXP 540	88972	RSS 73	30015	RS9 73	94794	XMB 73	58575
205/60-		RSM 74	50381	SXP 550	88989	RSS 73	30015	RS9 74	94795	XMB 73	58575
205/65-		RSM 75	50560	SXP 550	88989	RSS 74	30137	RS9 75	94796	XMB 74	58576
205/70-		RSM 75	50560	SXP 560	88990	RSS 75	30290	RS9 75	94796	XMB 75	58577
205/75-		RSM 76	50562	SXP 570	05128	RSS 76	30321	RS9 76	94797	-	-
205/80-		RSM 77	50563	-	-	RSS 77	30361	RS9 77	94798	-	-
215/40-		RSM 64	50008	SXP 520	88987	RSS 64	29761	RS9 64	94790	XMB 67	58572
215/45-		RSM 67	50118	SXP 530	88988	RSS 67	29795	RS9 67	94791	XMB 67	58572
215/50-		RSM 73	50194	SXP 540	88972	RSS 73	30015	RS9 73	94794	XMB 73	58575
215/55-		RSM 74	50381	SXP 550	88989	RSS 74	30137	RS9 74	94795	XMB 74	58576
215/60-		RSM 75	50560	SXP 560	88990	RSS 74	30137	RS9 75	94796	XMB 75	58577
215/65-		RSM 76	50562	SXP 560	88990	RSS 75	30290	RS9 76	94797	XMB 76	12138
215/70-		RSM 77	50563	SXP 570	05128	RSS 77	30361	RS9 77	94798	-	-
215/75-		RSM 78	50572	-	-	RSS 77	30361	RS9 77	94798	-	-
215/80-		RSM 79	50592	-	-	RSS 79	30686	RS9 79	02944	XMB 79	55651

Reference list passenger cars

Tire	Rim	pewag servomatik RSM ..		pewag snox pro SXP ..		pewag servo sport RSS ..		pewag servo 9 RS9 ..		pewag brenta 9 XMB ..	
		Po no.	Part no.	Po no.	Part no.	Po no.	Part no.	Po no.	Part no.	Po no.	Part no.
220/60-	16"	RSM 75	50560	-	-	RSS 75	30290	RS9 75	94796	XMB 75	58577
225/45-		RSM 68	50131	SXP 530	88988	RSS 68	29995	RS9 69	94793	XMB 69	58574
225/50-		RSM 74	50381	SXP 550	88989	RSS 74	30137	RS9 74	94795	XMB 73	58575
225/55-		RSM 75	50560	SXP 560	88990	RSS 75	30290	RS9 75	94796	XMB 75	58577
225/60-		RSM 76	50562	SXP 560	88990	RSS 75	30290	RS9 76	94797	XMB 75	58577
225/65-		RSM 76	50562	SXP 570	05128	RSS 76	30321	RS9 76	94797	XMB 77	12139
225/70-		RSM 78	50572	-	-	RSS 79	30686	RS9 79	02944	-	-
225/75-		-	-	-	-	RSS 79	30686	RS9 79	02944	XMB 79	55651
235/50-		RSM 75	50560	SXP 560	88990	RSS 75	30290	RS9 75	94796	XMB 75	58577
235/60-		RSM 77	50563	SXP 570	05128	RSS 77	30361	RS9 77	94798	XMB 77	12139
235/65-		RSM 78	50572	-	-	-	-	-	-	-	-
235/70-		RSM 79	50592	-	-	RSS 79	30686	RS9 79	02944	-	-
245/45-		RSM 74	50381	SXP 550	88989	RSS 74	30137	RS9 74	94795	XMB 74	58576
245/50-		RSM 76	50562	SXP 560	88990	RSS 75	30290	RS9 76	94797	XMB 75	58577
245/55-		RSM 77	50563	SXP 570	05128	RSS 77	30361	RS9 77	94798	XMB 77	12139
245/60-		RSM 78	50572	-	-	-	-	-	-	-	-
255/50-		RSM 77	50563	SXP 570	05128	RSS 76	30321	RS9 77	94798	XMB 77	12139
255/55-		RSM 78	50572	-	-	-	-	-	-	-	-
255/60-		RSM 79	50592	-	-	RSS 79	30686	RS9 79	02944	-	-
185/50-	17"	RSM 67	50118	-	-	RSS 67	29795	RS9 67	94791	-	-
195/55-		-	-	-	-	RSS 73	30015	RS9 73	94794	-	-
205/40-		RSM 67	50118	SXP 530	88988	RSS 67	29795	RS9 67	94791	XMB 67	58572
205/45-		RSM 68	50131	SXP 530	88988	RSS 68	29995	RS9 68	94792	XMB 68	58573
205/50-		RSM 73	50194	SXP 540	88972	RSS 73	30015	RS9 73	94794	XMB 73	58575
205/55-		RSM 74	50381	SXP 550	88989	RSS 74	30137	RS9 74	94795	XMB 74	58576
205/60-		-	-	SXP 550	88989	-	-	RS9 75	94796	-	-
205/65-		RSM 76	50562	-	-	RSS 75	30290	RS9 76	94797	-	-
215/40-		RSM 68	50131	SXP 530	88988	RSS 68	29995	RS9 68	94792	XMB 68	58573
215/45-		RSM 69	50193	SXP 540	88972	RSS 73	30015	RS9 69	94793	XMB 69	58574
215/50-		RSM 74	50381	SXP 550	88989	RSS 74	30137	RS9 74	94795	XMB 74	58576
215/55-		RSM 75	50560	SXP 560	88990	RSS 75	30290	RS9 75	94796	XMB 76	12138
215/60-		RSM 76	50562	SXP 560	88990	RSS 76	30321	RS9 76	94797	XMB 76	12138
215/65-		RSM 77	50563	-	-	RSS 77	30361	RS9 77	94798	-	-
225/40-		RSM 69	50193	SXP 540	88972	RSS 69	30012	RS9 69	94793	XMB 69	58574
225/45-		RSM 74	50381	SXP 550	88989	RSS 73	30015	RS9 74	94795	XMB 73	58575
225/50-		RSM 75	50560	SXP 560	88990	RSS 75	30290	RS9 75	94796	XMB 75	58577
225/55-		RSM 76	50562	SXP 560	88990	RSS 76	30321	RS9 76	94797	XMB 76	12138
225/60-		RSM 77	50563	SXP 570	05128	RSS 77	30361	RS9 77	94798	XMB 77	12139
225/65-		RSM 78	50572	-	-	RSS 79	30686	RS9 79	02944	-	-
225/70-		RSM 79	50592	-	-	-	-	-	-	-	-
235/40-		RSM 74	50381	SXP 540	88972	RSS 73	30015	RS9 74	94795	XMB 73	58575
235/45-		RSM 74	50381	SXP 550	88989	RSS 74	30137	RS9 75	94796	XMB 74	58576
235/50-		RSM 76	50562	SXP 560	88990	RSS 75	30290	RS9 76	94797	XMB 75	58577
235/55-		RSM 77	50563	SXP 570	05128	RSS 77	30361	RS9 77	94798	XMB 77	12139
235/60-		RSM 78	50572	-	-	-	-	-	-	-	-
235/65-		-	-	-	-	RSS 80	31098	RS9 80	94799	-	-
245/40-		RSM 74	50381	SXP 550	88989	RSS 74	30137	RS9 74	94795	XMB 74	58576
245/45-		RSM 76	50562	SXP 560	88990	RSS 75	30290	RS9 76	94797	-	-
245/50-		RSM 78	50572	-	-	RSS 77	30361	RS9 77	94798	XMB 77	12139
245/55-		RSM 78	50572	-	-	RSS 79	30686	RS9 79	02944	XMB 79	55651
255/40-		RSM 75	50560	SXP 560	88990	RSS 75	30290	RS9 75	94796	XMB 75	58577

Reference list passenger cars

Tire	Rim	pewag servomatik RSM ..		pewag snox pro SXP ..		pewag servo sport RSS ..		pewag servo 9 RS9 ..		pewag brenta 9 XMB ..	
		Po no.	Part no.	Po no.	Part no.	Po no.	Part no.	Po no.	Part no.	Po no.	Part no.
255/45-	17"	RSM 76	50562	SXP 570	05128	RSS 76	30321	RS9 76	94797	XMB 76	12138
255/50-		RSM 78	50572	-	-	-	-	-	-	-	-
255/55-		RSM 79	50592	-	-	RSS 79	30686	RS9 79	02944	-	-
265/40-		RSM 76	50562	SXP 570	05128	RSS 75	30290	RS9 76	94797	XMB 76	12138
275/40-		-	-	-	-	-	-	-	-	XMB 77	12139
205/65-	17.5"	-	-	-	-	-	-	RS9 76	94797	-	-
205/70-		-	-	-	-	RSS 77	30361	RS9 77	94798	-	-
225/55-		-	-	-	-	RSS 76	30321	RS9 76	94797	-	-
205/40-	18"	RSM 68	50131	-	-	RSS 68	29995	RS9 68	94792	-	-
215/40-		RSM 73	50194	-	-	RSS 73	30015	-	-	-	-
215/45-		RSM 74	50381	SXP 550	88989	RSS 74	30137	RS9 74	94795	XMB 73	58575
215/50-		-	-	-	-	RSS 75	30290	-	-	-	-
215/55-		RSM 76	50562	-	-	RSS 76	30321	RS9 76	94797	-	-
225/40-		RSM 74	50381	SXP 550	88989	RSS 74	30137	RS9 74	94795	XMB 73	58575
225/45-		RSM 75	50560	SXP 560	88990	RSS 75	30290	RS9 75	94796	XMB 75	58577
225/50-		RSM 77	50563	-	-	-	-	RS9 77	94798	-	-
225/55-		RSM 77	50563	SXP 570	05128	RSS 79	30686	RS9 79	02944	-	-
225/60-		RSM 78	50572	-	-	RSS 79	30686	RS9 79	02944	XMB 79	55651
235/40-		RSM 75	50560	SXP 560	88990	RSS 74	30137	RS9 75	94796	XMB 74	58576
235/45-		RSM 76	50562	SXP 570	05128	RSS 76	30321	RS9 76	94797	XMB 76	12138
235/50-		RSM 78	50572	-	-	RSS 77	30361	RS9 77	94798	XMB 77	12139
235/55-		RSM 79	50592	-	-	RSS 79	30686	RS9 79	02944	XMB 79	55651
235/60-		-	-	-	-	RSS 80	31098	RS9 80	94799	-	-
245/40-		RSM 76	50562	SXP 560	88990	RSS 75	30290	RS9 76	94797	XMB 75	58577
245/45-		RSM 77	50563	SXP 570	05128	RSS 76	30321	RS9 77	94798	XMB 77	12139
245/50-		RSM 79	50592	-	-	RSS 79	30686	RS9 79	02944	XMB 79	55651
245/60-		-	-	-	-	RSS 80	31098	RS9 80	94799	-	-
255/35-		RSM 75	50560	-	-	-	-	-	-	-	-
255/40-		RSM 77	50563	SXP 570	05128	-	-	RS9 77	94798	XMB 77	12139
255/45-		RSM 78	50572	-	-	-	-	RS9 77	94798	-	-
265/35-		RSM 76	50562	SXP 570	05128	RSS 75	30290	RS9 76	94797	-	-
265/45-		RSM 79	50592	-	-	RSS 79	30686	RS9 79	02944	-	-
275/45-		-	-	-	-	RSS 80	31098	RS9 80	94799	-	-
205/55-	19"	-	-	-	-	RSS 77	30361	RS9 77	94798	-	-
225/40-		RSM 75	50560	SXP 560	88990	-	-	RS9 75	94796	-	-
225/45-		RSM 76	50562	-	-	RSS 76	30321	RS9 76	94797	-	-
225/55-		RSM 79	50592	-	-	RSS 80	31098	RS9 79	02944	XMB 79	55651
235/35-		RSM 75	50560	-	-	RSS 74	30137	-	-	-	-
235/40-		RSM 76	50562	-	-	RSS 76	30321	RS9 77	94798	-	-
235/45-		RSM 77	50563	-	-	-	-	RS9 77	94798	-	-
235/50-		RSM 79	50592	-	-	RSS 79	30686	RS9 79	02944	XMB 79	55651
245/35-		RSM 76	50562	-	-	RSS 75	30290	-	-	-	-
245/40-		RSM 77	50563	-	-	RSS 77	30361	RS9 77	94798	-	-
245/45-		RSM 79	50592	-	-	-	-	-	-	-	-
255/35-		-	-	-	-	RSS 76	30321	-	-	-	-
255/40-		RSM 78	50572	-	-	-	-	-	-	-	-
275/30-		-	-	-	-	RSS 76	30321	-	-	-	-
195/55-	20"	-	-	-	-	RSS 77	30361	RS9 77	94798	-	-
215/45-		RSM 77	50563	-	-	-	-	-	-	-	-
225/40-		RSM 77	50563	-	-	-	-	RS9 77	94798	-	-
245/40-		RSM 78	50572	-	-	RSS 79	30686	RS9 79	02944	-	-
255/40-		-	-	-	-	RSS 80	31098	-	-	-	-